

Vježba 17: CSS poveznice, liste i tablice

Marin Kurešić, Tin Jerković

PRIPREMA ZA VJEŽBU

1. Što su poveznice? Što sve može biti poveznica na mrežnoj stranici?
Poveznica ili link je pojam koji označava vezu između dvije web-stranice. Na web-stranicama su poveznice obično označene drukčijom bojom od ostatka teksta i/ili su podcrtane.
2. Koje su tri vrste lista definirane HTML-om? Kada se koja od njih koristi?
Uređene i neuređene liste. Najčešće se koriste neuređene liste

IZVOĐENJE VJEŽBE

Exercise: Marin Kurešić, Tin Jerković

Set the color of links to "red".

```
<style>
a {
  color: red;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
  <a href="http://w3schools.com">This is a link</a>
</body>
```

Show Answer

Exercise: Marin Kurešić, Tin Jerković

Set the style when you mouse over a link (hover) to red.

```
<style>
a:hover {
  color: red;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
  <a href="http://w3schools.com">This is a link</a>
</body>
```

Show Answer

Exercise: Marin Kurešić, Tin Jerković

Set the style for links to pages you have visited to red.

```
<style>
a:visited {
  color: red;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
  <a href="http://w3schools.com">This is a link</a>
</body>
```

Show Answer

Exercise: Marin Kurešić, Tin Jerković

Remove the default underline style for links, but add a underline when you mouse over a link (hover).

```
<style>
/* unvisited link */
a:link {text-decoration: none;}

/* visited link */
a:visited {text-decoration: none;}

/* mouse over link */
a:hover {text-decoration: underline;}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
  <a href="http://w3schools.com">This is a link</a>
</body>
```

Show Answer

Exercise: Marin Kurešić, Tin Jerković

Set the list style for unordered lists to "square".

```
<style>
ul {
  list-style-type: square;
}
</style>

<body>
<ul>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Coca Cola</li>
</ul>
</body>
```

Show Answer

Exercise: Marin Kurešić, Tin Jerković

Change the list's item marker to an image called 'bling.jpg':

```
<style>
ul {
  list-style-image: url("bling.jpg");
}
</style>

<body>
<ul>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Coca Cola</li>
</ul>
</body>
```

Show Answer

Exercise: Marin Kurešić, Tin Jerković

Remove the bullets/markers from the list items.

```
<style>
ul {
  list-style-type: none;
}
</style>

<body>
<ul>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Coca Cola</li>
</ul>
</body>
```

Show Answer

Exercise: Marin Kurešić, Tin Jerković

Set the list style to I, II, III, instead of 1, 2, 3 for ordered lists.

```
<style>
ol {
  list-style-type: upper-roman;
}
</style>

<body>
<ol>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Coca Cola</li>
</ol>
</body>
```

Show Answer

Exercise: Marin Kurešić, Tin Jerković

Set the border to "2px solid green" for table, th and td elements.

```
<style>
table, th, td {
  border: 2px solid green;
}
</style>

<body>
<table>
  <tr>
    <th>Firstname</th>
    <th>Lastname</th>
  </tr>
  <tr>
    <td>Peter</td>
    <td>Griffin</td>
  </tr>
  <tr>
    <td>Lois</td>
    <td>Griffin</td>
  </tr>
</table>
```

Exercise: Marin Kurešić, Tin Jerković

Collapse the table borders into a single border.

```
<style>
table {
  border-collapse: collapse;
}

table, th, td {
  border: 1px solid green;
}
</style>

<body>
<table>
  <tr>
    <th>Firstname</th>
    <th>Lastname</th>
  </tr>
  <tr>
    <td>Peter</td>
    <td>Griffin</td>
```

Exercise: Marin Kurešić, Tin Jerković

Use inline styles to set the width of the table to "100%".

```
<table style="width:100%">
  <tr>
    <th>Firstname</th>
    <th>Lastname</th>
  </tr>
  <tr>
    <td>Peter</td>
    <td>Griffin</td>
  </tr>
  <tr>
    <td>Lois</td>
    <td>Griffin</td>
  </tr>
</table>
```

Show Answer

Exercise: Marin Kurešić, Tin Jerković

Set the text alignment in <td> elements to "right".

```
<style>
table, th, td {
  border: 1px solid green;
}

td {
  text-align: right;
}
</style>

<table>
  <tr>
    <th>Firstname</th>
    <th>Lastname</th>
  </tr>
  <tr>
    <td>Peter</td>
    <td>Griffin</td>
  </tr>
</table>
```

Exercise: Marin Kurešić, Tin Jerković

Set the padding in <th> elements to "15px".

```
<style>
table, th, td {
  border: 1px solid green;
}

th {
  padding: 15px;
}
</style>

<table>
  <tr>
    <th>Firstname</th>
    <th>Lastname</th>
  </tr>
  <tr>
    <td>Peter</td>
    <td>Griffin</td>
  </tr>
</table>
```

Exercise: Marin Kurešić, Tin Jerković

Set the background color of <th> elements to "lightblue".

```
<style>
table, th, td {
  border: 1px solid green;
}

th {
  background-color: lightblue;
}
</style>

<table>
  <tr>
    <th>Firstname</th>
    <th>Lastname</th>
  </tr>
  <tr>
    <td>Peter</td>
    <td>Griffin</td>
  </tr>
```